Annexure- VI

DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR PHYSIOTHERAPY LABORATORY AS PER MSR

Faculty: Physiotherapy

YEAR 2022 – 2023 Name of College: SVJCT's BKL Walawalkar College of Physiotherapy College Code: 161115

Sr.No.	Particulars to be verified	Details on College Website	Adequate / Inadequate
01	Electrotherapy & Electrodiagnosis (as per M.S.R.): Cubicles with Separate Power line (earthed), Hot Pack Unit (Machine), Hot Packs, Cold Pack Unit, Cold Packs, Paraffin Wax Bath (PWB), Open circuit Stimulator, Shortwave Diathermy - 500W, UVR Lamp (Floor Model), Ultrasound Unit, I.R. lamp, Whirlpool Bath (Desirable), Diagnostic Stimulators, TENS Unit, Interferential Current Therapy Unit (IFT), LASER Unit (Therapeutic) (Desirable), Cervical cum lumber traction Units, Wall Mounted Cervical Traction Unit, Contrast Bath, Exam Couch, Two channeled EMG with IP analyzer, Biofeedback /multi stimulator.	Yes	Adequate
	Kinesiotherapy (as per M.S.R.): Cubicles, Parallel Bar with Mirror, Wall Bar (In metal Frame), Stair Case (Straight Type – 60CM Wide), Suspension App., Tilt Table (Manual), Ergocycle, Rowing Machine, Exam Couch, Exercise Mat, Dumbells & Springs, Weight cuffsm Wedges, Sand Bags, Medicine Ball, Therabands, Swiss Ball (Physio Balls) 55cms, 65cms, 75cms, 85cms, Hand Dynamometer, Hand Evaluation Kit, Delorme's Boot with weight, Hand Exercise Unit, CPM Unit, Shoulder Wheel, Finger ladder, Skates, Skate Board, Axillary / Elbow Crutches, Walkers, Canes, Gutter Crutch, Wobble Board, Equilibrium Board Pediatric and Adult, Quadriceps Table, Ankle Exerciser, Bed Cycle, Rachet, Wrist Roller / Wrist Exerciser, Therapeutic Folded Wheel Chair, Pelvic Inclinometers, B.P. Apparatus, Goniometer, Hammer, Yoga Mat.	Yes	Adequate

Account of the state of the sta

Principal
DeaR/Wrincipalstrampa Signature
College of Physiotherapy
Kasarwadi - Sawarde



B.K.L. Walawalkar College of Physiotherapy

A/p. Kasarwadi, Sawarde, Taluka: Chiplun, District: Ratnagiri – 415606 Phone No. 02355 – 264137 / 264149 Fax No. 02355 – 264181

Email: svjctbklwcop@gmail.com Affiliated to MUHS, Nashik & Approved by Govt. of Maharashtra

Requirement for Electrodiagnosis

SN	Equipment /Facility	Required Up to 50	Available	Fulfills/ Lacunae
17	Two channeled EMG with IP analyzer	01	01	
18	Biofeedback / Multi stimulator	01	01	



B.K.L. Walawalkar College of Physiotherapy

A/p. Kasarwadi, Sawarde, Taluka: Chiplun, District: Ratnagiri – 415606 Phone No. 02355 – 264137 / 264149 Fax No. 02355 – 264181 Email: svjctbklwcop@gmail.com

Affiliated to MUHS, Nashik & Approved by Govt. of Maharashtra

ELECTRO THERAPY & ELECTRODIAGNOSIS LAB

SN	Equipment /Facility	Required Up to	Available	Fulfills/ Lacunae
		50		
1	Cubicles with separate power line (earthed)	10	13	
2	Hot Packs	12	12	
3	Cold packs	12	10	
4	PWB	2	2	
5	Open circuit stimulator	1	1	
6	SWD	3	3	
7	UVR	3	3	
8	Ultrasound	3	3	
9	I.R.	3	5	
10	Whirl pool	1	1	
11	Diagnostic Stimulators	10	10	
12	TENS Unit	5	5	
13	Interferential Current Therapy Unit	3	3	
14	Lasers (desirable)	1		
15	Cervical & lumber traction Units		-	
16	Contrast Bath	1+1	2	
		1	1	



B.K.L. Walawalkar College of Physiotherapy

A/p. Kasarwadi, Sawarde, Taluka: Chiplun, District: Ratnagiri – 415606 Phone No. 02355 – 264137 / 264149 Fax No. 02355 – 264181 Email: svjctbklwcop@gmail.com

Affiliated to MUHS, Nashik & Approved by Govt. of Maharashtra

EXERCISE PHYSIOLOGY & FITNESS LAB

SN	Equipment /Facility	Required	Available	Fulfills / Lacunae
		Up to 50	1	1
1	Computerized treadmill	1	2	
. 2	Bicycle ergo meter with speedometer	1 .	6	
3	Skin fold caliper	2	2	
4	Body composition analyzer [Desirable]	1	N.A	
5	Body Fat Analyzer	1	1	
6	Weighing scale with height measurement	1	1	
7	Spirometer	1	1	
8	Peak flow meter	3	3	
9	Energy consumption analyzer [Desirable]	1	N.A	
10	Pulse Oxymeter	4	5	
1	ECG [Desirable]	1	1	
1:	2 Flutter	2	2	
1	3 Inspiratory Muscle Trainer	2	2	
1	4 Oxygen Cylinder	1	1	
1	5 Nebulizer			
	A) Ultra Sound	1	1	
	B) JET	1	1	
1	6 Portable Suction Machine	1	1	
	7 B.P. Apparatus & Stethoscope	3	5	
	8 Shuttle Walk Test Software (Desirable)	1	N.A	





B.K.L. Walawalkar College of Physiotherapy A/p. Kasarwadi, Sawarde, Taluka. Chiplun, District: Ratnagiri – 415606

A/p. Kasarwadi, Sawarde, Taluka. Chiplun, District: Ratnagiri – 415606 Phone No. 02355 – 264137 / 264149 Fax No. 02355 – 264181 Email: svjctbklwcop@gmail.com

Affiliated to MUHS, Nashik & Approved by Govt. of Maharashtra

THERAPEUTIC GYMNASUM & KINESIOTHERAPY LAB

SN	Equipment /Facility	Required	Available	Fulfills/ Lacunae
- 1		Up to 50		
1	Cubicles	10	16	
	Parallel Bar with Mirror	01	01	
3	Wall Bar	01	01	
4	Stair Case	01	01	
5	Suspension App.	03	03	
6	Tilt Ta ble	02	02	
7	Ergocycles	03	03	
8	Rowing Machine	03	03	
	Exam couches	15	15	
10	Exs mats-	Adequate	Adequate	
11	Dumbbells and Spings	Adequate	Adequate	
12 13	Weights / Wedges	Adequate	Adequate	
14	Sand Bags	Adequate	Adequate	
15	Medicine Balls	02		
16	Therabands	1 set of all	10	
	Swiss Balls 24" & 36"	01 each	02 sets	
17	Hand Dynamometer	01	02	
18	Hand Evaluation Kit	01	01	
19	Delorm's Boot with weights	02	01	
20	Hand Exercise Unit	02	02	
21	СРМ		01	
22	Shoulder Wheel	.01	01	
23	Finger ladder	01	01	
24	Skates	01	01	
25	Axillary / Elbow Crutches & Walkers	Adequate	Adequate	
26	Wooddle Board	Adequate	Adequate	
27	Quadriceps Table	02	02	
28	Ankle Exerciser	01	01	
29	Bed Cycle	02	02	
	Ratchet	01		
	Wrist Roller / Wrist Exerciser	01	01	
32	Wheel Chairs	Adequate	01	
	Pelvic Inclinometers	Adequate	Adequate	
	and monitorneters	01	Adequate	



B.K.L. Walawalkar College of Physiotherapy

A/p. Kasarwadi, Sawarde, Taluka: Chiplun, District: Ratnagiri - 415606 Phone No. 02355 - 264137 / 264149 Fax No. 02355 - 264181 Email: svjctbklwcop@gmail.com

Affiliated to MUHS, Nashik & Approved by Govt. of Maharashtra

YOGA / CLINICAL SKILLS LAB

SN	Equipment /Facility	Required	Available	Fulfills / Lacunae
		Up to 50		
1	Yoga Mats / Pediatric Mats / Mats for	20	20	
	Training Neurotherapeutic Skills	02	02	
2	Adjustable Manual Therapy Plinth	Adequate	Adequate	
3	Therabands & Theratubes	Adequate	Adequate	
4	Swiss balls		Adequate	1
5	Stability Trainers	Adequate		
6	Sensory Assessment Kit	Adequate	Adequate	2
7	Balance Assessment & Training Equipment	Adequate	Adequate	e
8	Stools, Benches, Wheel Chairs, Stairs	Adequate	Adequat	e
	Ramps For Training Transfers			